

SWPPP RESIDENTIAL SITE PLAN

SWPPP NOTES:

1. ENTIRE ACRE LOT TO BE DISTURBED AND WILL BE SOODED OR SEEDED AFTER CONSTRUCTION IS COMPLETE.
2. ALL CONTROL MEASURES WILL BE CONTINUOUSLY MAINTAINED TO ENSURE EROSION OR SEDIMENT DOES NOT LEAVE THE CONSTRUCTION SITE.
3. ALL PROSION OR SEDIMENT THAT LEAVES THE CONSTRUCTION SITE WILL BE REMOVED AS SOON AS DISCOVERED.
4. A STABILIZED 20' X 25' B-STONE CONSTRUCTION ENTRANCE WILL BE PLACED AT THE SITE ENTRANCE TO MINIMIZE OFF-SITE TRACKING.
5. THE CONCRETE WASH-OUT PIT WILL BE AN EXCAVATED DEPRESSION BELOW NATURAL GROUND AND 15' FROM CURB OR ANY STORMDRAIN INLETS.
6. INSPECTIONS WILL BE PERFORMED EVERY 7 DAYS.

SCALE 1" = FEET

PROPERTY LINE

STREET NAME:

CHESAPEAKE C.V.

CONTRACTOR NAME:

M-L Good Home Builders

SUBDIVISION:

James town Manor

SITE ADDRESS:

4912 1st St

NOTICE: REFER TO SECTION D. SITE MAP REQUIREMENTS IN SWPPP FOR INFORMATION REQUIRED ON SITE PLAN.