CONDITIONAL CONCURRENCE to CLOSE and / or VACATE STREET, ALLEY or UTILITY EASEMENT

BE IT KNOWN BY THESE PRESENTS that Southwestern Bell Telephone Company, a Missouri Corporation, hereby concurs in the closing of the following described portion of a public street subject to stated conditions:

The west 15.0 feet of Melrose Street from the north boundary of Ark Hwy 1 to a point 626 feet north of said boundary, such point being the location where the width of Melrose Street changes from 75.0 feet to 60.0 feet SUBJECT TO AND CONDITIONED UPON the granting or provision of a 15.0 foot wide utility easement in the area to be abandoned.

By:

4-27-00

Director-Eng / Const

ACKNOWLEDGMENT

STATE OF ARKANSAS

COUNTY OF CRAIGHEAD

On this the 27 day of $Ae \sim 1000$, before me, the abovesigned manager,

F. Jean Davis

, acknowledged himself to be authorized to execute

the foregoing instrument.

In witness whereof i hereunto set my hand and official stamp.

ewis C. Grounds

Notary Public for Saline County

My commission expires April 20, 2002

PUB O

Reliant Energy Arkla

April 28, 2000

Mr. Terry Bare

Dear Sir:

In reference to your request for closure of the utility easement at Terrace apartments, Arkla does not have any facilities in this easement and we do not object to the closing. Thank you giving us this opportunity.

Sincerely,

Jody W. Pickens Planner/Scheduler

Jonesboro Market Center



Owned by the Citizens of Jonesboro

April 28, 2000

Brian Wadley City of Jonesboro Planning Coordinator P.O. Box 1845 Jonesboro, AR 72403

Re: Abandonment of the West 15' of Melrose

Street Right-of-Way

Dear Brian:

City Water and Light has no objection with the abandonment of the existing street right-of-way being the West 15' of Melrose Street from the North line of Johnson Avenue, 626' North to their North property line, subject to the following stipulations:

- 1. The abandoned 15' right-of-way will be recorded as a utility easement.
- 2. A notarized document signed by the property owners stating they agree to remove or replace the fence at their expense should CWL need to repair or replace the water line within the easement.

Sincerely,

Randy Simpkins, P.E.

Engineering Svcs Director

RKS/dmt