



**Metropolitan Area Planning Commission  
 Staff Report Conditional Use: Case No. CU 08-07 – Mobile Home  
 Huntington Building - 900 W. Monroe  
 For Consideration by the Commission on September 09, 2008**

**REQUEST:** Conditional Use Request: Mobile Home

**PURPOSE:** To place a six-year-old single-wide mobile home on an R-1 Zoned parcel of land.

**APPLICANT OWNER:** Larry & Jodi Numann, 4 CR 933, Jonesboro, AR 72404  
 Pauline Coleman, 910 Brownwood Cr, Jonesboro, AR

**LOCATION:** 1901 Prescott, Jonesboro, AR 72404

**SITE DESCRIPTION:** Tract Size: 1.04 acres (approx.)  
 Frontage: Approx. 165 ft. on Prescott

Topography: Predominately flat.  
 Existing Dvlpmt: Vacant

<b>SURROUNDING CONDITIONS:</b>	<u>ZONE</u>	<u>LAND USE</u>
North:	R-1	Residential
South:	R-1	Residential
East:	R-1	Residential
West:	R-1	Residential

**CASE HISTORY:** None (Vacant)

**SITE PLAN AND ZONING ANALYSIS:**

City Planning Staff has reviewed the proposed development and offers the following findings.

The applicant wishes to place six-year-old mobile home on to the property in an R-1 Single Family Residential Zoning District. This district allows the residential design manufacturing units as a conditional use approval by the MAPC. The applicant is requesting a waiver of the residential requirement for a single wide with a pitched roof unit. There are approximately 9 mobile home units on the street (See attached photographs).

Section 14.32.10 of the Zoning Resolution regulates mobile homes designs and offers the following requirements:

14.32.10 Manufactured Housing Units, Residential Design. Compliance with all of the standards of this section is required in order for a manufactured housing unit to be classified as a residential design, manufactured housing unit.

(a) Size.

(1) The minimum width of a residential design, manufactured housing unit shall be twenty-two feet (22'), with width measured perpendicular to the longest axis at the narrowest part.

(2) The length of a residential design, manufactured housing unit shall not exceed four (4) times its width, with length measured along the longest axis.

(3) A residential design, manufactured housing unit shall have a minimum area of one thousand one hundred fifty (1,150) square feet (enclosed and heated living area).

(b) Roof.

(1) Pitch. The roof must be predominantly double-pitched and have a minimum vertical rise of two inches (2") for every twelve inches (12") of horizontal run.

(2) Materials. The roof must be covered with material that is customarily used on site-built housing units. Customary materials include wood, asphalt composition shingles, or fiberglass shingles, but not aluminum, corrugated fiberglass, or metal.

(3) Eaves. The roof shall have a minimum eave projection and roof overhang of ten inches (10"), which may include a gutter.

(c) Siding.

(1) Materials. Exterior siding must be of a material customarily used on site-built housing units. Customary materials include wood, composition, simulated wood, clapboards, conventional vinyl or metal siding, brick, stucco, or similar materials. Customary materials do not include smooth, ribbed or corrugated metal or plastic panels or material that has a high gloss finish.

(2) Design and Placement. Siding material shall extend below the top of the foundation or curtain wall, or the joint between the siding and enclosure wall shall be flashed in accordance with the city's adopted building code.

(d) Installation of Unit.

(1) Guidelines. The unit shall be installed in accordance with the recommended installation procedures of the manufacturer, and the standards established by the International Conference of Building Officials (ICBO) and published in the most recent edition of Guidelines for Manufactured Housing Installations.

(2) Foundation. A continuous, permanent concrete or masonry foundation or masonry curtain wall, un-pierced except for required ventilation and access which may include walk-out basements and garages, shall be installed under the

perimeter of the unit, also in accordance with the above referenced ICBO guidelines.

(e) Entrance Landing Area. At the main entrance door to the unit there shall be a landing that is a minimum of five feet (5') which is constructed in accordance with building code requirements.

(f) Transport Equipment. All running gear, tongues, axles, and wheels must be removed at the time of installation of the unit on the lot.

(g) Finished Floor Elevation. The finished floor of the unit shall meet the manufacturer's specifications unless the unit is located in a floodplain; in which case floodplain regulations shall rule.

(h) Additions. Attached additions and detached garages shall comply with the building code, and floodplain regulations, if applicable. All standards of this section shall apply to such additions and garages.

The applicant is aware that proposed home must and will satisfy the criteria set forth for residentially designed units; however they ask that the Commission grants special consideration for the proposed single wide unit.

**Conclusion:**

Staff finds that the requested Case 08-07 Conditional Use for a mobile home submitted by Mr. & Mrs. Numann will not be a detriment to the surrounding area. MAPC should consider the following conditions if the request is granted in full on the basis of the Conditional Use:

1. That the final site plan and building plans be submitted to and approved by the Planning Director indicating required setbacks and compliance with all the stipulations above.
2. The lot must conform to the proper plat procedure and standards.
3. That all building permits, health department and all applicable permits be obtained before the structure allowed for dwelling.
4. That the unit be installed within a 1- year period of this approval on a permanent foundation.

Respectfully Submitted for Commission Consideration,

Otis T. Spriggs, AICP  
Planning & Zoning Director

# Site Photographs



View looking north



View looking west



View looking west



View looking east.





View looking west of existing unit on property frontage



View looking northeast.











